



	Water S/P	Water Additive S/P	Wet Chemical S/P	ABC Powder S/P				
Capacity	9ltr	6ltr	6ltr	1kg	2kg	4kg	6kg	9kg
Fire rating	21A	21A	13A 75F	8A 55B	13A 70B	21A 113B	34A 233B	43A 233B
BS EN3 approved	✓	✓	✓	✓	✓	✓	✓	✓
MED approved		✓	✓					



	CO2		AFF Foam Spray S/P			Stainless Steel & Polished Aluminium			
	2kg	5kg	2	6	9	Water	Foam	Powder	CO2
Capacity						9 Ltr	9 & 6 Ltr	9 & 6 Kg	5 & 2 Kg
Fire rating	34B	70B	8A 55B	13A 144B	21A 183B	21A	21A 183B 13A 183B	43A 233B 34A 233B	89B 55B
BS EN3 approved	✓	✓	✓	✓	✓				



Fire Blanket  
BS EN 1869 Approved

Suitable for smothering & extinguishing fires

1.0 x 1.0m    1.2 x 1.2m    1.8 x 1.2m

	A	B	C	D	E	F
	Fires involving freely burning materials.	Fires involving flammable liquid.	Fires involving flammable gases.	Fires involving flammable metals.	Fires involving electrical equipment.	Fires involving cooking oil & fat.
Water	✓					
Foam	✓	✓				
ABC Dry Powder	✓	✓	✓			✓
Monnex Dry Powder		✓	✓			✓
Special Dry Powder				✓		
CO2 Gas		✓				✓
Wet Chemical	✓					✓

# Stands, Cabinets & Accessories



**Mobile fire point trolleys** Ideal where areas at risk from fire change from day to day and can be supplied with or without bells / buckets



**Free Standing Fire Point Stands**

**Tubular & Stainless Steel Extinguisher Stands**

Ideal where construction is taking place on several floors, can be fitted with a variety of alarms and have space for individuals fire action procedures to be displayed.

Ideal for contemporary design-led interiors.  
Tubular stand finished in chrome  
Stainless steel stand manufactured from polished & lacquered stainless steel



**Rotatorially Moulded Extinguisher Cabinets**

**Composite Extinguisher Stands**

**Rotatorially Moulded Extinguisher Stands**

Corrosion proof design

Free standing with skirting board recess

Free standing with skirting board recess

High impact resistant plastic with Polypropylene vision panels in door

New improved design increases strength & extinguisher stability

Manufactured in high impact & chemical resistant plastic

Wall, Floor, Post & Vehicle Mounting

Available in red, grey & cream

Available in red, grey & cream



**Rotary Hand Bell**

**Emergency Gas Horn**

**Fire Buckets**

Tried & tested robust design

Ideal for building site applications

Suitable for many applications

Bell sounds 60db alarm at up to 35 metres

Acoustic range of approximately 1500m

10 litre capacity

Red coated diecast aluminium dome

Refill canisters available

Available in metal or plastic, with or without lids



**Howler Site Alarms**

**Slimline Aerosol Alarm**

**Heavy Duty Howler Site Alarms**

Self-contained alarm unit - 118db siren

Well-proven favourite for many alarm applications

Self contained alarm unit - 120db siren

Suitable for indoor & outdoor use

Simply depress the cap to emit a 130db screech

Virtually indestructible aluminium body

Choice of 3 switching mechanisms

Easy to use & carry with integral pen type clip

Indoor & outdoor use & choice of 3 switching mechanisms

# Signage

This is a selection of our popular fire signage. Many more signs, sizes and finishes are available, please contact us for details.



Fire Door Signs  
SASRP

70 x 70mm

70 x 70mm

70 x 70mm

80 x 80mm



Emergency Escape  
SRP & PL

450 x 150mm

450 x 150mm

450 x 150mm

450 x 150mm



Emergency Escape  
SRP & PL

450 x 150mm

450 x 150mm

300 x 150mm

300 x 150mm



Emergency Escape  
SRP, PL & SAV

300 x 150mm

300 x 150mm

300 x 250mm

300 x 250mm  
600 x 450mm



Emergency Escape  
SRP & PL

450 x 150mm

200 x 150mm

100 x 100mm

100 x 100mm



Extinguisher Signs  
SRP & PL

75 x 200mm


75 x 200mm

75 x 200mm

75 x 200mm

75 x 200mm

# Intumescent



## Intumescent Fire Seals

An intumescent graphite material contained within a pvc sleeve fitted into the rebate of either the leaves or the frame. Will in the event of a fire expand and seal the gap around the door to provide an effective barrier against the passage of fire, smoke and hot gases.

Available with or without a cold smoke seal, in brown or white in 2.1 metre lengths.

10 x 4	30min	Fire Only	10 x 4	30min	Fire & Smoke
15 x 4	30min	Fire Only	15 x 4	30min	Fire & Smoke
20 x 4	60min	Fire Only	20 x 4	60min	Fire & Smoke



## Intumescent Fire Grilles

Durable ventilation grille, easily mounted in doors, ducts, floors and walls providing one hour fire protection. Grilles comprise of moisture resistant intumescent core within a galvanised steel frame with vermin proof 6mm steel mesh fitted to both faces.

Available in sizes:

100 x 100 to 600 x 600 (in 50mm stages)



## Air Transfer Plates

Mild steel louvered face plate suitable for surface mounting in door and wall applications.

Fabricated from 20 swg mild steel with horizontal louvers set on an 85mm pitch with 30% downward deflection.

Available in sizes to suit intumescent fire grilles but allow for fixing, the overall size of the plate is 25mm bigger on all sides. e.g. overall size of face plate to suit 300x300 fire grille is 350x350.



## Intumescent Pillows

Manufactured from hard wearing, specially treated glass cloth filled with a mixture of mineral fibres and reactive expansion agents which, on exposure to heat, will first expand and then harden to provide a complete seal. Ideal for sealing cable trays.

Sizes available:

Large: 300 x 200 x 40    Medium: 300 x 150 x 40    Small: 300 x 100 x 40    Sausage: 300 x 50 x 40




## Intumescent Pipe Collars & Wraps

An intumescent graphite material contained within a steel sleeve which, on exposure to heat, will rapidly expand inward to squeeze the collapsing plastic pipe until the aperture is sealed.

Wraps can be used in place of collars where the pipe is passing through a masonry floor or wall.

Available with a 2 or 4 hour fire rating for plastic pipes with a diameter between 55mm and 160mm



## Intumescent Mastic

Designed for sealing gaps around fire doors and for sealing joints, voids and holes in fire rated structures. Can be used in joints up to 25mm wide and can provide up to 4 hours fire resistance depending on depth and width of the gap.

Available in 310ml tubes in white, brown or grey.

## Fire Rated Expanding Foam

Used for filling gaps in compartment walls and floors where the integrity of the fire resistance needs to be maintained.

Available in 700ml cans either handheld or gungrade.



## Intumescent Paint, Coatings & Varnish

Intumescent paints and coatings produce a protective char retarding the spread of flames and the transfer of heat in the event of a fire.

Suitable for steel, timber, plaster and brick.